



Buckeye Rubber & Packing Co.

The Sealing Specialists

Cleveland, OH Greensboro, NC Rochester, NY Columbus, OH

Corporate Office

23940 Mercantile RD.
Cleveland, OH 44122
Phone: (216)464-8900
Fax: (216)831-0254
Website: buckeyrubber.com

Dash No. M8791/1	ID	Tolerance	Thickness	Width	Gap	Degree of Scarf Cut
004	.076	+/- 001	.052/.048	.054/.052	.005/.000	45-42
005	.108	+/- 001	.052/.048	.054/.052	.005/.000	36-33
006	.123	+/- 001	.052/.048	.054/.052	.005/.000	33-30
007	.154	+/- 001	.052/.048	.054/.052	.005/.000	27-24
008	.185	+/- 001	.052/.048	.054/.052	.005/.000	22-19
009	.217	+/- 001	.052/.048	.054/.052	.005/.000	22-19
010	.248	+/- 001	.052/.048	.054/.052	.005/.000	22-19
011	.310	+/- 001	.052/.048	.054/.052	.005/.000	22-19
012	.373	+/- 001	.052/.048	.054/.052	.005/.000	22-19
013	.438	+/- 001	.052/.048	.054/.052	.005/.000	22-19
014	.501	+/- 001	.052/.048	.054/.052	.005/.000	22-19
015	.563	+/- 001	.052/.048	.054/.052	.005/.000	22-19
016	.626	+/- 001	.052/.048	.054/.052	.005/.000	22-19
017	.688	+/- 001	.052/.048	.054/.052	.005/.000	22-19
018	.751	+/- 001	.052/.048	.054/.052	.005/.000	22-19
019	.813	+/- 001	.052/.048	.054/.052	.005/.000	22-19
020	.881	+/- 001	.052/.048	.054/.052	.005/.000	22-19
021	.943	+/- 001	.052/.048	.054/.052	.005/.000	22-19
022	1.006	+/- 001	.052/.048	.054/.052	.005/.000	22-19
023	1.068	+/- 001	.052/.048	.054/.052	.005/.000	22-19
024	1.131	+/- 001	.052/.048	.054/.052	.005/.000	22-19
025	1.193	+/- 001	.052/.048	.054/.052	.005/.000	22-19
026	1.256	+/- 001	.052/.048	.054/.052	.005/.000	22-19
027	1.318	+/- 001	.052/.048	.054/.052	.005/.000	22-19
028	1.381	+/- 001	.052/.048	.054/.052	.005/.000	22-19
110	.373	+/- 001	.056/.052	.087/.085	.006/.000	22-19
111	.435	+/- 001	.056/.052	.087/.085	.006/.000	22-19
112	.498	+/- 001	.056/.052	.087/.085	.006/.000	22-19
113	.560	+/- 001	.056/.052	.087/.085	.006/.000	22-19
114	.623	+/- 001	.056/.052	.087/.085	.006/.000	22-19
115	.685	+/- 001	.056/.052	.087/.085	.006/.000	22-19
116	.748	+/- 001	.056/.052	.087/.085	.006/.000	22-19
117	.815	+/- 001	.056/.052	.087/.085	.006/.000	22-19
118	.878	+/- 001	.056/.052	.087/.085	.006/.000	22-19
119	.940	+/- 001	.056/.052	.087/.085	.006/.000	22-19
120	1.003	+/- 001	.056/.052	.087/.085	.006/.000	22-19
121	1.065	+/- 001	.056/.052	.087/.085	.006/.000	22-19
122	1.128	+/- 001	.056/.052	.087/.085	.006/.000	22-19
123	1.190	+/- 001	.056/.052	.087/.085	.006/.000	22-19
124	1.253	+/- 001	.056/.052	.087/.085	.006/.000	22-19
125	1.315	+/- 001	.056/.052	.087/.085	.006/.000	22-19
126	1.380	+/- 001	.056/.052	.087/.085	.006/.000	22-19
127	1.442	+/- 001	.056/.052	.087/.085	.006/.000	22-19
128	1.505	+/- 001	.056/.052	.087/.085	.006/.000	22-19
129	1.564	+/- 001	.056/.052	.087/.085	.006/.000	22-19



Buckeye Rubber & Packing Co.

The Sealing Specialists

Cleveland, OH Greensboro, NC Rochester, NY Columbus, OH

Corporate Office

23940 Mercantile RD.
Cleveland, OH 44122
Phone: (216)464-8900
Fax: (216)831-0254
Website: buckeyrubber.com

Dash No. M8791/1	ID	Tolerance	Thickness	Width	Gap	Degree of Scarf Cut
130	1.627	+/- 001	.056/.052	.087/.085	.006/.000	22-19
131	1.689	+/- 001	.056/.052	.087/.085	.006/.000	22-19
132	1.752	+/- 001	.056/.052	.087/.085	.006/.000	22-19
133	1.814	+/- 001	.056/.052	.087/.085	.006/.000	22-19
134	1.877	+/- 001	.056/.052	.087/.085	.006/.000	22-19
135	1.940	+/- 001	.056/.052	.087/.085	.006/.000	22-19
136	2.002	+/- 001	.056/.052	.087/.085	.006/.000	22-19
137	2.065	+/- 001	.056/.052	.087/.085	.006/.000	22-19
138	2.127	+/- 001	.056/.052	.087/.085	.006/.000	22-19
139	2.190	+/- 001	.056/.052	.087/.085	.006/.000	22-19
210	.748	+/- 001	.064/.060	.120/.118	.006/.000	22-19
211	.810	+/- 001	.064/.060	.120/.118	.006/.000	22-19
212	.873	+/- 001	.064/.060	.120/.118	.006/.000	22-19
213	.935	+/- 001	.064/.060	.120/.118	.006/.000	22-19
214	.998	+/- 001	.064/.060	.120/.118	.006/.000	22-19
215	1.060	+/- 001	.064/.060	.120/.118	.006/.000	22-19
216	1.123	+/- 001	.064/.060	.120/.118	.006/.000	22-19
217	1.185	+/- 001	.064/.060	.120/.118	.006/.000	22-19
218	1.248	+/- 001	.064/.060	.120/.118	.006/.000	22-19
219	1.310	+/- 001	.064/.060	.120/.118	.006/.000	22-19
220	1.373	+/- 001	.064/.060	.120/.118	.006/.000	22-19
221	1.435	+/- 001	.064/.060	.120/.118	.006/.000	22-19
222	1.498	+/- 001	.064/.060	.120/.118	.006/.000	22-19
223	1.625	+/- 001	.064/.060	.120/.118	.006/.000	22-19
224	1.750	+/- 001	.064/.060	.120/.118	.006/.000	22-19
225	1.875	+/- 001	.064/.060	.120/.118	.006/.000	22-19
226	2.000	+/- 001	.064/.060	.120/.118	.007/.000	22-19
227	2.125	+/- 001	.064/.060	.120/.118	.007/.000	22-19
228	2.250	+/- 001	.064/.060	.120/.118	.007/.000	22-19
229	2.375	+/- 001	.064/.060	.120/.118	.007/.000	22-19
230	2.500	+/- 001	.064/.060	.120/.118	.007/.000	22-19
325	1.498	+/- 001	.090/.086	.184/.182	.007/.000	22-19
326	1.623	+/- 001	.090/.086	.184/.182	.007/.000	22-19
327	1.748	+/- 001	.090/.086	.184/.182	.007/.000	22-19
328	1.873	+/- 001	.090/.086	.184/.182	.007/.000	22-19
329	1.998	+/- 001	.090/.086	.184/.182	.007/.000	22-19
330	2.123	+/- 001	.090/.086	.184/.182	.007/.000	22-19
331	2.248	+/- 001	.090/.086	.184/.182	.007/.000	22-19
332	2.373	+/- 001	.090/.086	.184/.182	.007/.000	22-19
333	2.498	+/- 001	.090/.086	.184/.182	.007/.000	22-19
334	2.623	+/- 001	.090/.086	.184/.182	.007/.000	22-19
335	2.748	+/- 001	.090/.086	.184/.182	.007/.000	22-19
336	2.873	+/- 001	.090/.086	.184/.182	.007/.000	22-19
337	2.997	+/- 001	.090/.086	.184/.182	.007/.000	22-19
338	3.122	+/- 001	.090/.086	.184/.182	.007/.000	22-19



Buckeye Rubber & Packing Co.

The Sealing Specialists

Cleveland, OH Greensboro, NC Rochester, NY Columbus, OH

Corporate Office

23940 Mercantile RD.
Cleveland, OH 44122
Phone: (216)464-8900
Fax: (216)831-0254
Website: buckeyerrubber.com

Dash No. M8791/1	ID	Tolerance	Thickness	Width	Gap	Degree of Scarf Cut
339	3.247	+/- 001	.090/.086	.184/.182	.007/.000	22-19
340	3.372	+/- 001	.090/.086	.184/.182	.007/.000	22-19
341	3.497	+/- 001	.090/.086	.184/.182	.007/.000	22-19
342	3.622	+/- 001	.090/.086	.184/.182	.007/.000	22-19
343	3.747	+/- 001	.090/.086	.184/.182	.007/.000	22-19
344	3.872	+/- 001	.090/.086	.184/.182	.007/.000	22-19
345	3.997	+/- 001	.090/.086	.184/.182	.007/.000	22-19
346	4.122	+/- 001	.090/.086	.184/.182	.007/.000	22-19
347	4.247	+/- 001	.090/.086	.184/.182	.007/.000	22-19
348	4.372	+/- 001	.090/.086	.184/.182	.007/.000	22-19
349	4.497	+/- 001	.090/.086	.184/.182	.007/.000	22-19
425	4.497	+/- 001	.122/.118	.237/.235	.008/.000	22-19
426	4.622	+/- 001	.122/.118	.237/.235	.008/.000	22-19
427	4.747	+/- 001	.122/.118	.237/.235	.008/.000	22-19
428	4.872	+/- 001	.122/.118	.237/.235	.008/.000	22-19
429	4.997	+/- 001	.122/.118	.237/.235	.008/.000	22-19
430	5.122	+/- 001	.122/.118	.237/.235	.008/.000	22-19
431	5.247	+/- 001	.122/.118	.237/.235	.008/.000	22-19
432	5.372	+/- 001	.122/.118	.237/.235	.008/.000	22-19
433	5.497	+/- 001	.122/.118	.237/.235	.008/.000	22-19
434	5.622	+/- 001	.122/.118	.237/.235	.008/.000	22-19
435	5.747	+/- 001	.122/.118	.237/.235	.008/.000	22-19
436	5.872	+/- 001	.122/.118	.237/.235	.008/.000	22-19
437	5.997	+/- 001	.122/.118	.237/.235	.008/.000	22-19