



Buckeye Rubber & Packing Co.

Corporate Office

23940 Mercantile RD.
Cleveland, OH 44122
Phone: (216)464-8900
Fax: (216)831-0254
Website: buckeyerrubber.com

The Sealing Specialists

Cleveland, OH Greensboro, NC Rochester, NY Columbus, OH

Dash No. MS28774	ID	Tolerance	Thickness	Width	Gap
004	.109	+/- 001	.052/.045	.054/.052	.005/.000
005	.124	+/- 001	.052/.045	.054/.052	.005/.000
006	.140	+/- 001	.052/.045	.054/.052	.005/.000
007	.171	+/- 001	.052/.045	.054/.052	.005/.000
008	.202	+/- 001	.052/.045	.054/.052	.005/.000
009	.234	+/- 001	.052/.045	.054/.052	.005/.000
010	.265	+/- 001	.052/.045	.054/.052	.005/.000
011	.327	+/- 001	.052/.045	.054/.052	.005/.000
012	.390	+/- 001	.052/.045	.054/.052	.005/.000
013	.455	+/- 001	.052/.045	.054/.052	.005/.000
014	.518	+/- 001	.052/.045	.054/.052	.005/.000
015	.580	+/- 001	.052/.045	.054/.052	.005/.000
016	.643	+/- 001	.052/.045	.054/.052	.005/.000
017	.705	+/- 001	.052/.045	.054/.052	.005/.000
018	.768	+/- 001	.052/.045	.054/.052	.005/.000
019	.830	+/- 001	.052/.045	.054/.052	.005/.000
020	.898	+/- 001	.052/.045	.054/.052	.005/.000
021	.960	+/- 001	.052/.045	.054/.052	.005/.000
022	1.023	+/- 001	.052/.045	.054/.052	.005/.000
023	1.085	+/- 001	.052/.045	.054/.052	.005/.000
024	1.148	+/- 001	.052/.045	.054/.052	.005/.000
025	1.210	+/- 001	.052/.045	.054/.052	.005/.000
026	1.273	+/- 001	.052/.045	.054/.052	.005/.000
027	1.335	+/- 001	.052/.045	.054/.052	.005/.000
028	1.398	+/- 001	.052/.045	.054/.052	.005/.000
110	.390	+/- 001	.052/.045	.087/.085	.006/.000
111	.452	+/- 001	.052/.045	.087/.085	.006/.000
112	.515	+/- 001	.052/.045	.087/.085	.006/.000
113	.577	+/- 001	.052/.045	.087/.085	.006/.000
114	.640	+/- 001	.052/.045	.087/.085	.006/.000
115	.702	+/- 001	.052/.045	.087/.085	.006/.000
116	.765	+/- 001	.052/.045	.087/.085	.006/.000
117	.832	+/- 001	.052/.045	.087/.085	.006/.000
118	.895	+/- 001	.052/.045	.087/.085	.006/.000
119	.957	+/- 001	.052/.045	.087/.085	.006/.000
120	1.020	+/- 001	.052/.045	.087/.085	.006/.000
121	1.082	+/- 001	.052/.045	.087/.085	.006/.000
122	1.145	+/- 001	.052/.045	.087/.085	.006/.000
123	1.207	+/- 001	.052/.045	.087/.085	.006/.000
124	1.270	+/- 001	.052/.045	.087/.085	.006/.000
125	1.332	+/- 001	.052/.045	.087/.085	.006/.000
126	1.397	+/- 001	.052/.045	.087/.085	.006/.000
127	1.459	+/- 001	.052/.045	.087/.085	.006/.000
128	1.522	+/- 001	.052/.045	.087/.085	.006/.000
129	1.584	+/- 001	.052/.045	.087/.085	.006/.000



Buckeye Rubber & Packing Co.

The Sealing Specialists

Cleveland, OH Greensboro, NC Rochester, NY Columbus, OH

Corporate Office

23940 Mercantile RD.
Cleveland, OH 44122
Phone: (216)464-8900
Fax: (216)831-0254
Website: buckeyrubber.com

Dash No. MS28774	ID	Tolerance	Thickness	Width	Gap
130	1.647	+/- 001	.052/.045	.087/.085	.006/.000
131	1.709	+/- 001	.052/.045	.087/.085	.006/.000
132	1.772	+/- 001	.052/.045	.087/.085	.006/.000
133	1.834	+/- 001	.052/.045	.087/.085	.006/.000
134	1.897	+/- 001	.052/.045	.087/.085	.006/.000
135	1.959	+/- 001	.052/.045	.087/.085	.006/.000
136	2.022	+/- 001	.052/.045	.087/.085	.006/.000
137	2.084	+/- 001	.052/.045	.087/.085	.006/.000
138	2.147	+/- 001	.052/.045	.087/.085	.006/.000
139	2.209	+/- 001	.052/.045	.087/.085	.006/.000
140	2.258	+/- 001	.052/.045	.087/.085	.006/.000
141	2.320	+/- 001	.052/.045	.087/.085	.006/.000
142	2.383	+/- 001	.052/.045	.087/.085	.006/.000
143	2.445	+/- 001	.052/.045	.087/.085	.006/.000
144	2.508	+/- 001	.052/.045	.087/.085	.006/.000
145	2.570	+/- 001	.052/.045	.087/.085	.006/.000
146	2.633	+/- 001	.052/.045	.087/.085	.006/.000
147	2.685	+/- 001	.052/.045	.087/.085	.006/.000
148	2.758	+/- 001	.052/.045	.087/.085	.006/.000
149	2.820	+/- 001	.052/.045	.087/.085	.006/.000
210	.766	+/- 001	.052/.045	.120/.118	.006/.000
211	.828	+/- 001	.052/.045	.120/.118	.006/.000
212	.891	+/- 001	.052/.045	.120/.118	.006/.000
213	.953	+/- 001	.052/.045	.120/.118	.006/.000
214	1.016	+/- 001	.052/.045	.120/.118	.006/.000
215	1.078	+/- 001	.052/.045	.120/.118	.006/.000
216	1.141	+/- 001	.052/.045	.120/.118	.006/.000
217	1.203	+/- 001	.052/.045	.120/.118	.006/.000
218	1.266	+/- 001	.052/.045	.120/.118	.006/.000
219	1.334	+/- 001	.052/.045	.120/.118	.006/.000
220	1.397	+/- 001	.052/.045	.120/.118	.006/.000
221	1.459	+/- 001	.052/.045	.120/.118	.006/.000
222	1.522	+/- 001	.052/.045	.120/.118	.006/.000
223	1.647	+/- 001	.052/.045	.120/.118	.007/.000
224	1.772	+/- 001	.052/.045	.120/.118	.007/.000
225	1.897	+/- 001	.052/.045	.120/.118	.007/.000
226	2.022	+/- 001	.052/.045	.120/.118	.007/.000
227	2.147	+/- 001	.052/.045	.120/.118	.007/.000
228	2.272	+/- 001	.052/.045	.120/.118	.007/.000
229	2.397	+/- 001	.052/.045	.120/.118	.007/.000
230	2.522	+/- 001	.052/.045	.120/.118	.007/.000
231	2.631	+/- 001	.052/.045	.126/.118	.007/.000
232	2.756	+/- 001	.052/.045	.126/.118	.007/.000
233	2.881	+/- 001	.052/.045	.126/.118	.007/.000
234	3.006	+/- 001	.052/.045	.126/.118	.007/.000



Buckeye Rubber & Packing Co.

Corporate Office

The Sealing Specialists

Cleveland, OH Greensboro, NC Rochester, NY Columbus, OH

23940 Mercantile RD.
Cleveland, OH 44122
Phone: (216)464-8900
Fax: (216)831-0254
Website: buckeyerrubber.com

Dash No. MS28774	ID	Tolerance	Thickness	Width	Gap
235	3.131	+/- 001	.052/.045	.126/.118	.007/.000
236	3.256	+/- 001	.052/.045	.126/.118	.007/.000
237	3.381	+/- 001	.052/.045	.126/.118	.007/.000
238	3.506	+/- 001	.052/.045	.126/.118	.007/.000
239	3.631	+/- 001	.052/.045	.126/.118	.007/.000
240	3.756	+/- 001	.052/.045	.126/.118	.007/.000
241	3.881	+/- 001	.052/.045	.126/.118	.007/.000
242	4.006	+/- 001	.052/.045	.126/.118	.007/.000
243	4.131	+/- 001	.052/.045	.126/.118	.007/.000
244	4.256	+/- 001	.052/.045	.126/.118	.007/.000
245	4.381	+/- 001	.052/.045	.126/.118	.007/.000
246	4.506	+/- 001	.052/.045	.126/.118	.007/.000
247	4.631	+/- 001	.052/.045	.126/.118	.007/.000
325	1.513	+/- 001	.075/.065	.184/.182	.007/.000
326	1.638	+/- 001	.075/.065	.184/.182	.007/.000
327	1.763	+/- 001	.075/.065	.184/.182	.007/.000
328	1.888	+/- 001	.075/.065	.184/.182	.007/.000
329	2.013	+/- 001	.075/.065	.184/.182	.007/.000
330	2.138	+/- 001	.075/.065	.184/.182	.007/.000
331	2.268	+/- 001	.075/.065	.184/.182	.007/.000
332	2.393	+/- 001	.075/.065	.184/.182	.007/.000
333	2.518	+/- 001	.075/.065	.184/.182	.007/.000
334	2.643	+/- 001	.075/.065	.184/.182	.007/.000
335	2.768	+/- 001	.075/.065	.184/.182	.007/.000
336	2.893	+/- 001	.075/.065	.184/.182	.007/.000
337	3.018	+/- 001	.075/.065	.184/.182	.007/.000
338	3.143	+/- 001	.075/.065	.184/.182	.007/.000
339	3.273	+/- 001	.075/.065	.184/.182	.007/.000
340	3.398	+/- 001	.075/.065	.184/.182	.007/.000
341	3.523	+/- 001	.075/.065	.184/.182	.007/.000
342	3.648	+/- 001	.075/.065	.184/.182	.007/.000
343	3.773	+/- 001	.075/.065	.184/.182	.007/.000
344	3.898	+/- 001	.075/.065	.184/.182	.007/.000
345	4.028	+/- 001	.075/.065	.184/.182	.007/.000
346	4.153	+/- 001	.075/.065	.184/.182	.007/.000
347	4.278	+/- 001	.075/.065	.184/.182	.007/.000
348	4.403	+/- 001	.075/.065	.184/.182	.007/.000
349	4.528	+/- 001	.075/.065	.184/.182	.007/.000
425	4.551	+/- 001	.110/.100	.237/.235	.008/.000
426	4.676	+/- 001	.110/.100	.237/.235	.008/.000
427	4.801	+/- 001	.110/.100	.237/.235	.008/.000
428	4.926	+/- 001	.110/.100	.237/.235	.008/.000
429	5.051	+/- 001	.110/.100	.237/.235	.008/.000
430	5.176	+/- 001	.110/.100	.237/.235	.008/.000
431	5.301	+/- 001	.110/.100	.237/.235	.008/.000



Buckeye Rubber & Packing Co.

The Sealing Specialists

Cleveland, OH Greensboro, NC Rochester, NY Columbus, OH

Corporate Office

23940 Mercantile RD.
Cleveland, OH 44122
Phone: (216)464-8900
Fax: (216)831-0254
Website: buckeyerrubber.com

Dash No. MS28774	ID	Tolerance	Thickness	Width	Gap
432	5.426	+/- 001	.110/.100	.237/.235	.008/.000
433	5.551	+/- 001	.110/.100	.237/.235	.008/.000
434	5.676	+/- 001	.110/.100	.237/.235	.008/.000
435	5.801	+/- 001	.110/.100	.237/.235	.008/.000
436	5.926	+/- 001	.110/.100	.237/.235	.008/.000
437	6.051	+/- 001	.110/.100	.237/.235	.008/.000
438	6.274	+/- 001	.110/.100	.237/.235	.008/.000
439	6.524	+/- 001	.110/.100	.237/.235	.008/.000
440	6.774	+/- 001	.110/.100	.237/.235	.008/.000
441	7.024	+/- 001	.110/.100	.237/.235	.008/.000
442	7.274	+/- 001	.110/.100	.237/.235	.008/.000
443	7.524	+/- 001	.110/.100	.237/.235	.008/.000
444	7.774	+/- 001	.110/.100	.237/.235	.008/.000
445	8.024	+/- 001	.110/.100	.237/.235	.008/.000
446	8.524	+/- 001	.110/.100	.237/.235	.008/.000
447	9.024	+/- 001	.110/.100	.237/.235	.008/.000
448	9.524	+/- 001	.110/.100	.237/.235	.008/.000
449	10.024	+/- 001	.110/.100	.237/.235	.008/.000
450	10.524	+/- 001	.110/.100	.237/.235	.010/.000
451	11.024	+/- 001	.110/.100	.237/.235	.010/.000
452	11.524	+/- 001	.110/.100	.237/.235	.010/.000
453	12.024	+/- 001	.110/.100	.237/.235	.010/.000
454	12.524	+/- 001	.110/.100	.237/.235	.010/.000
455	13.024	+/- 001	.110/.100	.237/.235	.010/.000
456	13.524	+/- 001	.110/.100	.237/.235	.010/.000
457	14.024	+/- 001	.110/.100	.237/.235	.010/.000
458	14.524	+/- 001	.110/.100	.237/.235	.010/.000
459	15.024	+/- 001	.110/.100	.237/.235	.010/.000
460	15.524	+/- 001	.110/.100	.237/.235	.010/.000